INT. J. PROD. RES., 1989, VOL. 27, NO. 12, 2123–2130

INDEX OF AUTHORS (WITH TITLES)

PAGE

Abdel-Malek, L. L.: Assessment of the economic feasibility of robotic assembly while conveyor tracking (RACT) 1209
Agee, M. H., see Malmborg, C. J.
Alting, L., and Zhang, H. C.: Computer Aided Process Planning: the state-of-the-art survey 553
Ando, Y., see Hiraki, S.
Azadivar, F.: Optimum allocation of resources between the random access and rack storage spaces in an automated warehousing system 119
Azzone, G., and Bertele, U.: Measuring the economic effectiveness of flexible automation: a new approach 735

Babu, A. J. G., see Das, T. K.
Bard, J. F.: Assembly line balancing with parallel workstations and dead time . . 1005
Barker, R. C., and Powell, N. K.: A heuristic approach to the formulation of manufacturing strategy 2041
Barman, S., and Burch, E. E.: The production switching heuristic: A practical revision 1863
Bell, R., and Young, R. I. M.: Machine planning: its role in the generation of manufacturing code from solid model descriptions 847
Ben-Arieh, D., Moodie, C. L., and Chu, C.-C.: Knowledge-based scheduling under unpredicted conditions: two approaches 869
Bertele, U., see Azzone, G.
Bland, C. J., Hopkins, S. H., and Drazan, P. J.: The development of autonomous devices to aid component assembly 411
Booth, A. H., see Weston, R. H.
Bobrowski, P. M.: Implementing a loading heuristic in a discrete release job shop . 1935
Brill, P. H., and Mandelbaum, M.: On measures of flexibility in manufacturing systems 747
Brown, R. M., and Matthews, J. P.: Inventory replenishment rules for systems exhibiting 'on–off' stochastic demand patterns 1877

Carmon, T. F., Maimon, O. Z., and Dar-El, E. M.: Group set-up for printed circuit board assembly 1795
Chan, D., and Mercier, D.: IC insertion: an application of the travelling salesman problem 1837
Chandrasekharan, M. P., and Rajagopalan, R.: GROUPABILITY: an analysis of the properties of binary data matrices for group technology 1035
Chao Ou-Yang, and Maul, G. P.: Optimal injection velocity profiling 1917
Chapman, S. N.: Just-In-Time supplier inventory: an empirical implementation model 1993
Chu, C.-C., see Ben-Arieh, D.
Co, H., Wu, A., and Reisman, A.: A throughput-maximizing facility planning and layout model 1

Daganzo, C. F., see Udomkesmalee, N.
Dar-El, E. M., see Carmon, T. F.
Dar-El, E. M., and Mazer, A.: Predicting the performance of unpaced assembly lines where one station variability may be smaller that the others 2105
Dar-El, E. M., see Shtub, A.
Das, T. K., Min-Hong Han, and Babu, A. J. G.: A model for capacity planning of flexible robotic assembly systems 2075
Davies, A., see Harris, C. G.
Davies, J. B. C., see Russell, G. T.
Desai, D. J., see Thompson, B. S.

PAGE

Dewhurst, P., and Kuppurajan, D.: Determination of optimum processing conditions for injection moulding 21
Donath, M., and Graves, R. J.: Flexible assembly systems: test results for an approach for near real-time scheduling and routing of multiple products 215
Drazan, P. J., see Bland, C. J.
Drezner, Z., and Wesolowsky, G. O.: Control limits for a drifting process with quadratic loss 13
Duffy, N. D., see Russell, G. T.

Easton, F., Faaland, B., Klastorin, T. D., and Schmitt, T.: Improved network based algorithms for the assembly line balancing problem 1901
Egbelu, P. J., see Han, C. P.
Ekere, N. N., and Hannam, R. G.: An evaluation of approaches to modelling and simulating manufacturing systems 599
Elhence, S., see Sharit, J.
Elimam, A. A.: Computer-aided quality in fibre-cement pipe production 1743
Elsayed, E. A., and Unal, O. I.: Order batching algorithms and travel-time estimation for automated storage/retrieval systems 1097
El-Tamini, A. M., Suliman, S. M. A., and Williams, D. F.: A simulation study of part sequencing in a flexible assembly cell 1769
Eman, K. F., see Lee, S. H.

Faaland, B., see Easton, F.
Fathi, Y., and Taheri, J.: A mathematical model for loading the sequencers in a printed circuit pack manufacturing environment 1305
Fattouh, M., see Hewidy, M. S.
Finlay, W. J., see Russell, G. T.
Fitzsimmons, J. A., see Sarker, B. R.
Flynn, B. B.: Critical machines preventive maintenance policies for group technology shops 2009
Foote, B. L., see Sawaqed, N.
Fry, T. D., Oliff, M. D., Minor, E. D., and Leong, G. K.: The effects of product structure and sequencing rule on assembly shop performance 671
Funk, J. L.: A comparison of inventory cost reduction strategies in a JIT manufacturing system 1065

Gagnon, R. J., see Ghosh, S. A.
Gandhi, M. V., see Thompson, B. S.
Gascoigne, J. D., see Weston, R. H.
Gaskins, R. J., and Tanchoco, J. M. A.: AGVSim2—a development tool for AGVS controller design 915
Gaskins, R. J., Tanchoco, J. M. A., and Taghaboni, F.: Virtual flow paths for free-ranging automated guided vehicle systems 91
Ghosh, B. K., see Gupta, T.
Ghosh, S., and Gagnon, R. J.: A comprehensive literature review and analysis of the design, balancing and scheduling of assembly systems 637
Gilgeous, V.: Modelling realism in aggregate planning: a goal-search approach . . 1179
Gindy, N. N. Z.: A hierarchical structure for form features 2089
Globerson, S., and Millen, R.: Determining learning curves in group technology settings 1653
Globerson, S., and Riggs, J. L.: Multi-performance measures for better operational control 187
Golany, B., and Rosenblatt, M. J.: A heuristic algorithm for the quadratic assignment formulation to the plant layout problem 293
Golenko-Ginzburg, D. I., and Sinuany-Stern, Z.: Production control with variable speeds and inspection points 629
Graves, R. J., see Donath, M.

PAGE

Groeflin, H., Luss, H., Rosenwein, M. B., and Wahls, E. T.: Final assembly sequencing for just-in-time manufacturing 199
Grünwald, H., Striekwold, P. E. T., and Weeda, P. J.: A framework for quantitative comparison of production control concepts 281
Gunasingh, K. R., and Lashkari, R. S.: Machine grouping problem in cellular manufacturing systems—an integer programming approach 1465
Gunn, E. A., see Yellowley, I.
Gupta, M. C., see Gupta, Y. P.
Gupta, T., and Ghosh, B. K.: A multi-objective two-stage approach to the design of communication networks subject to production constraints for computerized manufacturing systems 587
Gupta, Y. P., and Gupta, M. C.: A system dynamics model for a multi-stage multi-line dual-card JIT-kanban system 309

Haiping Xu, and Hsu-Pin (Ben) Wang: Part family formation for GT applications based on fuzzy mathematics 1637
Han, C. P., Knott, K., and Egbelu, P. J.: A heuristic approach to the three-dimensional cargo-loading problem 757
Hancock, T. M.: Effects of alternate routings under variable lot-size conditions . . 247
Hanna, D., see Nof, N. S.
Hannam, R. G., see Ekere, N. N.
Harris, C. G., Williams, J. H., and Davies, A.: Condition monitoring of machine tools 1445
Harrison, R., see Weston, R. H.
Hassan, M. M. D., and Hogg, G. L.: On converting a dual graph into a block layout 1149
Haupt, R.: A proposed shop management system for the engineering industry . . 1053
Herd, J. T., see Russell, G. T.
Hewidy, M. S., and Fattouh, M.: Electrochemical cutting using tubular cathodes: response surface approach 953
Hewidy, M. S., Rajurkar, K. P., Royo, G. F., and Fattouh, M.: Theoretical and experimental investigation of electrochemical ballizing 1335
Hinde, C. J.: The human–robot interface: the role of artificial intelligence . . . 463
Hiraki, S., Ichimura, T., Ishii, K., Nagamura, T., Ando, Y., Takahashi, K., and Muramatsu, R.: Low-inventory ordering systems for the international co-operative knockdown production systems 831
Hitomi, K.: Analysis of optimal machining speeds for automatic manufacturing . 1685
Hitomi, K., see Yoshimura, M.
Hitomi, K., Yoshimura, M., and Ohashi, K.: Design and scheduling for flexible manufacturing cells with automatic set-up equipment 1137
Ho, C.-J.: Evaluating the impact of operating environments on MRP system nervousness 1115
Hodgson, A., see Weston, R. H.
Hoffmann, T. R., see Scudder, G. D.
Hogg, G. L., see Hassan, M. M. D.
Hogg, G. L., see Min-Hong Han
Hopkins, S. H., see Bland, C. J.
Hopp, W. J., Pati, N., and Jones, P. C.: Optimal inventory control in a production flow system with failures 1367
Hsu-Pin (Ben) Wang, see Haiping Xu
Huang, P. Y., see Rees, L. P.
Hwan, S. S., and Shogan, A. W.: Modelling and solving an FMS part selection problem 1349
Hyer, N. L., and Wemmerlöv, U.: Group technology in the US manufacturing industry: a survey of current practices 1287
Hyer, N. L., see Wemmerlöv, U.

Ichimura, T., see Hiraki, S.
Irani, S. A., Mittal, R. O., and Lehtihet, E. A.: Tolerance chart optimization . . 1531
Ishii, T., see Hiraki, S.
Itani, K., see Yoshimura, M.
Iyama, T., and Odawara, T.: Two allocation methods for buffer storage in split automatic transfer lines 1705

PAGE

Johri, P. K.: Iterative algorithms for estimating the capacity of automated production lines with finite buffers 687
Jones, P. C., see Hopp, W. J.
Jung, H.-J., see Lee, S. M.

Kadosh, D., see Roll, Y.
Kanet, J. J., and Christy, D. P.: Manufacturing systems with forbidden early shipment: Implications for setting manufacturing lead times 783
Kanet, J. J., see Christy, D. P.
Kenny, R., see McCartney, J.
Khumawala, B. M., see Prentis, E. L.
Kiran, A. S.: A combined heuristic approach to dynamic lot sizing problems . . 2063
Kiran, A. S., and Tansel, B. C.: Optimal pickup point location on material handling networks 1475
Klastorin, T. D., see Easton, F.
Knott, K., see Han, C. P.
Koster, R. de, and Wijngaard, J.: Local and integral control of work load . . . 43
Koulamas, C. P.: Optimal buffer space size in two-stage machining systems with Markovian or non-Markovian tool life processes 1167
Krishnakumar, B., and Malmborg, C. J.
Kuhn, H., see Tempelmeier, H.
Kuo, A. T. Y., see Youcef-Toumi, K.
Kuo, W., see Yanney, J. D.
Kuppurajan, D., see Dewhurst, P.

Lanka, B. R., see Pande, S. S.
Lashkari, R. S., see Gunasingh, K. R.
Latinovic, V. N., and Osman, M. O. M.: Optimal design of BTA deep-hole cutting tools with staggered cutters 153
Lee, S. H., Eman, K. F., and Wu, S. M.: Trajectory control in the world coordinate system by an adaptive forecasting algorithm 451
Lee, S. M., and Jung, H.-J.: A multi-objective production planning model in a flexible manufacturing environment 1981
Lee, T. S., Malstrom, E. M., Vardeman, S. B., and Peterson, V. P.: On the refinement of the variable lead time/constant demand lot-sizing model: the effect of true average inventory level on the traditional solution 883
Lee, T. S., and Shih, W.: Optimal forecast biasing in theoretical inventory models . 809
Lehtihet, E. A., see Irani, S. A.
Leong, G. K., see Fry, T. D.
Lin, C. W., and Moodie, C. L.: Hierarchical production planning for a modern steel manufacturing system 613
Liu, J. J.: The periodic routeing of a flexible manufacturing system with centralized in-process inventory flows 943
Loh, N. H., see Tam, S. C.
Luss, H., see Groeflin, H.
Luss, H.: Synchronized manufacturing at final assembly and feeder shops . . . 1413

McCartney, J., and Kenny, R.: Parametric design and manufacture of transfer port cores for experimental cylinder block castings 1385
McDowell, E. D., see Nantawong, C.
McGinnis, L. F., see Min-Hong Han
Maimon, O. Z., see Carmon, T. F.
Malakooti, B., and Tsurushima, A.: An expert system using priorities for solving multiple-criteria facility layout problems 793
Malakooti, B.: Multiple objective facility layout: heuristic to generate efficient alternatives 1225

PAGE

Malmborg, C. J., Krishnakumar, B., Simons, G. R., and Agee, M. H.: EXIT: a PC-based expert system for industrial truck selection 927
Malstrom, E. M., see Lee, T. S.
Mandelbaum, M., see Brill, P. H.
Matsuo, H., see Yih-Long Chang
Matthews, J. P., see Brown, R. M.
Maul, G. P., see Chao Ou-Yang
Mazer, A., see Dar-El, E. M.
Melnyk, S. A., see Ragatz, G. L.
Mercier, D., see Chan, D.
Millen, R., see Globerson, S.
Miltenburg, J., and Sinnamon, G.: Scheduling mixed-model multi-level just-in-time production systems 1487
Min-Hong Han, and McGinnis, L.-F.: Flow control in flexible manufacturing minimization of stockout cost 701
Min-Hong Han, and McGinnis, L. F.: Shop operating characteristics curves for shop control 1843
Min-Hong Han, see Das, T. K.
Min-Hong Han, Yoon, K. Na, and Hogg, G. L.: Real-time tool control and job dispatching in flexible manufacturing systems 1257
Minor, E. D., see Fry, T. D.
Mittal, R. O., see Irani, S. A.
Miyazawa, S., see Tam, S. C.
Mohanty, R. P., and Siddiq, M. K.: Multiple projects–multiple resources-constrained scheduling: some studies 261
Molet, H., Sautory, J. C., and Van Gigch, J. P.: The complexity of introducing robotics: lessons drawn from an industrial experience 529
Moodie, C. L., see Ben-Arieh, D.
Moodie, C. L., see Lin, C.-W.
Moore, P. R., see Weston, R. H.
Mosier, C. T.: An experiment investigating the application of clustering procedures and similarity coefficients to the GT machine cell formation problem . . . 1811
Muramatsu, R., see Hiraki, S.

Nagamura, T., see Hiraki, S.
Nantawong, C., Randhawa, S. U., and McDowell, E. D.: A methodology for the economic comparison of $\bar{X}$, cumulative sum, and geometric moving-average control charts 133
Nof, S. Y., and Hanna, D.: Operational characteristics of multi-robot systems with cooperation 477

Odawara, T., see Iyama, T.
Ohashi, K., see Hitomi, K.
Oliff, M. D., see Fry, T. D.
Osman, M. O. M., see Latinovic, V. N.

Pande, S. S., and Lanka, B. R.: Investigations on the through-feed centreless grinding process 1195
Park, Y., and Webster, D.: Design of class-based storage racks for minimizing travel time in a three-dimensional storage system 1589
Park, Y. H., and Webster, D. B.: Modelling of three-dimensional warehouse systems. 985
Parlar, M.: EXPIM: a knowledge-based expert system for production/inventory modelling 101
Pati, N., see Hopp, W. J.
Peters, M. H., see Williams, W. W.
Petersen, V. P., see Lee, T. S.
Pourbabai, B.: Optimal selection of the local storage sizes of an assembly system . 1625

PAGE

Powell, N. K., see Barker, R. C.
Prentis, E. L., and Khumawala, B. M.: MRP lot sizing with variable production/purchasing costs: formulation and solution 965

Ragatz, G. L., and Melnyk, S. A.: Order review/release: research issues and perspectives 1086
Rajagopalan, R., see Chandrasekharan, M. P.
Rajurkar, K. P., see Hewidy, M. S.
Randhawa, S. U., see Nantawong, C.
Rees, L. P., Huang, P. Y., and Taylor, B. W., III: A comparative analysis of an MRP lot-for-lot system and a Kanban system for a multistage production operation . 1427
Reisman, A., see Co, H.
Riggs, J. L., see Globerson, S.
Roll, Y., Rosenblatt, M. J., and Kadosh, D.: Determining the size of a warehouse container 1693
Rosenblatt, M. J., see Golany, B.
Rosenblatt, M. J., see Roll, Y.
Rosenwein, M. B., see Groeflin, H.
Royo, G. F., see Hewidy, M. S.
Russell, G. T., Herd, J. T., Duffy, N. D., Davies, J. B. C., and Finlay, W. J.: An integrated control and error interpretation system for collaborating robots 493

Sanders, J. L., see Weishuang Qu
Sarker, B. R., and Fitzsimmons, J. A.: The performance of push and pull systems: a simulation and comparative study 1715
Sautory, J. C., see Molet, H.
Sawaqed, N., and Foote, B. L.: The effect of batch sizing and customer pressure (order modification) on a hybrid assembly job shop 1317
Schmitt, T., see Easton, F.
Schroer, B. J., and Tseng, F. T.: An intelligent assistant for manufacturing system simulation 1665
Schultz, C. R.: An expediting heuristic for the shortest processing time dispatching rule 31
Scudder, G. D., and Hoffmann, T. R.: The use of value-based priorities when early shipments are forbidden 353
Seifoddini, H.: A note on the similarity coefficient method and the problem of improper machine assignment in group technology applications 1161
Shanker, K., and Srinivasulu, A.: Some solution methodologies for loading problems in flexible manufacturing system 1019
Shapira, R., see Sipper, D.
Sharit, J., and Elhence, S.: Computerization of tool-replacement decision making in flexible manufacturing systems: a human-systems perspective 2027
Shih, W., see Lee, T. S.
Shogan, A. W., see Hwan, S. S.
Shtub, A.: Modelling group technology cell formation as a generalized assignment problem 775
Shtub, A., and Dar-El, E. M.: A methodology for the selection of assembly systems . 175
Siddiq, M. K., see Mohanty, R. P.
Silver, E. A.: Shelflife considerations in a family production context 2021
Simons, G. R., see Malmborg, C. J.
Sinnamon, G., see Miltenburg, J.
Sinuany-Stern, Z., see Golenko-Ginzburg, D. I.
Sipper, D., and Shapira, R.: JIT vs. WIP—a trade-off analysis 903
So, K. C.: On the efficiency of unbalancing production lines 717
Srinivasulu, A., see Shanker, K.
Striekwold, P. E. T., see Grüwald, H.
Suliman, S. M. A., see El-Tamimi, A. M.
Sullivan, R. S., see Yih-Long Chang
Sumpter, C. M., see Weston, R. H.

PAGE

Taghaboni, F., see Gaskins, R. J.
Taheri, J., see Fathi, Y.
Tam, S. C., Loh, N. H., and Miyazawa, S.: ECM-abrasive polishing of metals . . 1757
Tanchoco, J. M. A., see Gaskins, R. J.
Tansel, B. C., see Kiran, A. S.
Taylor, A.: An investigation of knowledge-based models for automated procedure generation in the arc welding domain 1855
Taylor, B. W., III, see Rees, L. P.
Taymaz, E.: Types of flexibility in a single-machine production system 1891
Tempelmeier, H., Kuhn, H., and Tetzlaff, U.: Performance evaluation of flexible manufacturing systems with blocking 1963
Tetzlaff, U., see Tempelmeier, H.
Thompson, B. S., Gandhi, M. V., and Desai, D. J.: Workpiece-fixture interactions in a compacted fluidized-bed fixture under various loading conditions 229
Tseng, F. T., see Schroer, B. J.
Tsurushima, A., see Malakooti, B.

Udomkesmalee, N., and Daganzo, C. F.: Impact of parallel processing on job sequence in flexible assembly systems 73
Unal, O. I., see Elsayed, E. A.

Van Gigch, J. P., see Molet, H.
Vardeman, S. B., see Lee, T. S.

Wacker, J. G.: An integrative theory of strategic quality management: a cost-benefit framework for evaluating quality improvement programs 53
Wahab, W., and Wellstead, P. E.: Self-tuning control of a robot manipulator arm . 423
Wahls, E. T., see Groeflin, H.
Webster, D. B., see Park, Y. H.
Weeda, P. J., see Grünwald, H.
Wei, J. C., and Kern, G. M.: Commonality analysis: A linear cell clustering algorithm for group technology 2053
Weishuang Qu, and Sanders, J. L.: Sequence selection of stock sheets in two-dimensional layout problems 1553
Wellstead, P. E., see Wahab, W.
Wemmerlöv, U., and Hyer, N. L.: Cellular manufacturing in the U.S. industry: a survey of users 1511
Wemmerlöv, U., see Hyer, N. L.
Wesolowsky, G. O., see Drezner, Z.
Weston, R. H., Gascoigne, J. D., Sumpter, C. M., and Hodgson, A.: Robot integration within computer-integrated manufacture 515
Weston, R. H., Harrison, R., Booth, A. H., and Moore, P. R.: Universal machine control system primitives for modular distributed manipulator systems 395
Wijngaard, J., see Koster, R. de
Williams, D. F., see El-Tamimi, A. M.
Williams, J. H., see Harris, C. G.
Williams, W. W., and Peters, M. H.: Economic design of an attributes control system for a multistage serial production process 1269
Wilson, J. M.: An alternative formulation of the operation–allocation problem in flexible manufacturing systems 1405
Wu, A., see Co, H.
Wu, S. M., see Lee, S. H.
Wu, Szu-Yung, D. and Wysk, R. A.: An application of discrete-event simulation to on-line control and scheduling in flexible manufacturing 1603
Wysk, R. A., see Wu, Szu-Yung, D.

PAGE

Yanney, J. D., and Kuo, W.: A practical approach to scheduling a multistage, multiprocessor flow-shop problem 1733
Yellowley, I., and Gunn, E. A.: The optimal subdivision of cut in multi-pass machining operations 1573
Yih-Long Chang, Matsuo, H., and Sullivan, R. S.: A bottleneck-based beam search for job scheduling in a flexible manufacturing system 1949
Yoon, K. Na, see Min-Hong Han
Yoshimura, M., Itani, K., and Hitomi, K.: Integrated optimization of machine product design and process design 1241
Yoshimura, M., see Hitomi, K.
Youcef-Toumi, K., and Kuo, A. T. Y.: Design and control of a high-speed direct-drive manipulator 375
Young, R. I. M., see Bell, R.

Zhang, H. C., see Alting, L.